

Bảng thông số sản phẩm

Thông số kỹ thuật



Neon Indicator, AvatarOn A, Red

M3TNRD_WE

Main

Range Of Product	AvatarOn A
Product Or Component Type	Indicator lamp
Device Presentation	Complete product

Complementary

Light Source Colour	Red
Device Mounting	Flush
Colour Tint	White
[Ue] Rated Operational Voltage	220...250 V
Current Consumption	0...10 mA
Number Of Cables	2
Material	PC (polycarbonate): cover PC (polycarbonate): base
Embedding Depth	20.2 mm

Environment

Ambient Air Temperature For Storage	-5...60 °C
Ambient Air Temperature For Operation	-5...45 °C
Standards	BS 5733
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.2 cm
Package 1 Width	2.3 cm
Package 1 Length	7.0 cm
Package 1 Weight	21.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	20
Package 2 Height	9.1 cm
Package 2 Width	8.9 cm

Package 2 Length	25.5 cm
Package 2 Weight	477.0 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	240
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	6.374 kg

Bền vững

Nhãn **Green Premium™** là cam kết của Schneider Electric trong việc cung cấp sản phẩm với hiệu suất môi trường tốt nhất. Green Premium cam kết tuân thủ các quy định mới nhất, minh bạch về tác động môi trường, cũng như các sản phẩm tuần hoàn và CO₂ thấp.

Hướng dẫn đánh giá tính bền vững của sản phẩm là tài liệu kỹ thuật phổ thông giúp làm rõ các tiêu chuẩn nhãn sinh thái toàn cầu và cách diễn giải việc khai báo môi trường.

[Tìm hiểu thêm về Green Premium >](#)

[Hướng dẫn đánh giá về sự bền vững của sản phẩm >](#)



Minh bạch [RoHS/REACH](#)

Hiệu suất sức khỏe

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information [Yes](#)

Chứng nhận & Tiêu chuẩn

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)