

*We're here  
to serve you!*

We have a pool of trained personnel to attend to all your needs and inquiries. Expect the most personalized and attentive care from our customer service representative. Because Customer is our top priority!

Customer Care Hotline: 860-7999  
TOLL-FREE NO. : 1-8000-1888-5680  
FAX : 896-7229 • 896-7255  
e-mail : [customer.care@ph.schneider-electric.com](mailto:customer.care@ph.schneider-electric.com)  
Technical Service Hotline : 0918-8SERVIS (0918) 873-7847



**Manila Office :**  
5th Flr. AICO Bldg.  
381 San Gil Pual Ave, Marikina City  
Tel : (63 2) 880-7999  
Fax : (63 2) 896-7255



**Cebu Office :**  
DISPO Bldg., A. C. Cortes Ave.,  
Mandaue City, Cebu  
Tel : (03 2) 544-7116  
Fax : (03 2) 544-7119



**Davao Office :**  
DSG Bldg., cor. Mabini and  
Quirino Sts., Davao City  
Tel : (08 2) 222-7670  
Fax : (08 2) 222-7749

*For Inquiries, further information or list of our Distributors' Network, please call us at any of our Schneider Electric (Philippines), Inc. offices or visit our website:*  
[www.schneider-electric.com.ph](http://www.schneider-electric.com.ph)

Schneider Electric (Philippines), Inc. accepts no responsibility for possible errors in the printing of this material. The particulars, details & nature shown herein are intended to provide a general overview of the product and are not intended to constitute a contract. The user shall refer to the actual product for the complete and correct information. Schneider Electric (Philippines), Inc. reserves the right to change design or specifications at any time without prior notice and without incurring any obligation.

# C-Flexi Series

Trendy Design  
the alternative for house decoration from Clipsal



CLIPSAAL... Trendy Australian Standard



**Schneider**  
Electric

III CLIPSAAL



EN 60584-25:1

### The Right Tool For You

C-Flexi switches and sockets are another quality models from Clipsal, specially designed by the experts. With its **Polycarbonate** material, C-Flexi is highly durable. It offers a variety of sizes that matches your needs. C-Flexi is also easy to install.



Modules

Surround

### Easy to install

With its special design, C-Flexi is very easy to install (Flexifix). By setting the module of your switches, you can install it together with that of the standard. Moreover, it can also be adjusted to modify the switches and sockets for later changes.

### Durable and Safe

Polycarbonate, the material used for C-Flexi, is widely accepted for its superior durability and safety. IEC certifies that C-Flexi provides safety and reliability to consumers.


**For Your Eye's Delight**  
It offers attractive and delightful designs that will suit your desires making it worth buying.



## Pop-up FLOOR SOCKETS



C-Flexi is produced with the highest quality materials. Available colors are Aluminum shine and Gold.





**You Make It  
How You Want It To Be**

The design of C-Flexi complies with international standards. Available in Large (L), Medium (M), Small (S), and Extra small (XS) sizes. Hence, you can choose the size of switches according to your own preference.



## C-Flexi module

### Switch Mechanism :

Product	L size	M size	S size	XS size	L size	M size	S size	M size	M size	M size	M size	M size	L size	M size	M size		
<b>Description</b>	16A 250V 1 Way Switch	16A 250V 1 Way Switch	16A 250V 1 Way Switch	16A 250V 1 Way Switch	10A 250V Bell Push Switch	10A 250V Bell Push Switch	10A 250V Bell Push Switch	10A 250V Bell Push Switch	400W Lighting Switch	250V Fused Connector	10A 250V 2 pin Socket Outlet with Shutter	13A 250V Industrial Socket Outlet	16A 250V 3 pin Socket Outlet with Shutter	16A 250V 3 pin Socket Outlet with Shutter	TV Co-axial Outlet	6Pin IUT2 Telephone Outlet	Car-E-Data Communication Outlet
<b>Cat. No.</b>	<b>F50M4</b>	<b>F50M2</b>	<b>F50M1.5</b>	<b>F50M1</b>	<b>F50BPW4</b>	<b>F50BPW2</b>	<b>F50BPM1.5</b>	<b>F50BPM1.5</b>	<b>F50RD400W</b>	<b>F50FC250V</b>	<b>F142QU5M</b>	<b>F142QU4M</b>	<b>F142QU5SM</b>	<b>F142QU5TM</b>	<b>F50TVM</b>	<b>F50R6M</b>	<b>F50R8M</b>

### Socket Mechanism :

### Switch Mechanism :

Product	L size	M size	S size	XS size
<b>Description</b>	16A 250V/ L size 2 Way Switch	16A 250V/ M size 2 Way Switch	16A 250V/ S size 2 Way Switch	16A 250V/ XS size 2 Way Switch
<b>Cat. No.</b>	<b>F50ZM4</b>	<b>F50ZM2</b>	<b>F50ZM1.5</b>	<b>F50ZM1</b>

### Flush Plate :

<b>Description</b>	1 Gang Flush Plate with Plastic Grid	1 Gang Flush Plate with Plastic Grid	2 Gang Flush Plate with Plastic Grid	3 Gang Flush Plate with Plastic Grid	14X1 Gang Flush Plate Intermediate Switch
<b>Cat. No.</b>	<b>FG1050</b>	<b>FG1051</b>	<b>FG1052</b>	<b>FG1053</b>	<b>FG105MA</b>

### Switch :

<b>Description</b>	10A 250V/ Neon Indicator (Red Colour)	Blank Plate
<b>Cat. No.</b>	<b>F50NM2-RD</b>	<b>F50KM1</b>

# Pop-up

FLOOR SOCKETS



The newly launched **CLIPSAL FLOOR SOCKET** complies with international standardization. It is *stylishly* designed with **Aluminum shine** and **Brass** coloring surface. The replaceable socket not only will substitute ease of selection but will also hold the concept of easy installation.

Applicable with all C-FLEXI modules.

- International Socket **F1426UAM**
- Universal Socket **F1426UEST2M**
- Telephone Socket RJ12 **F50RJ6M**
- Data Connection RJ45 **F50RJ8M**

“C-FLEXI is the MOST FLEXIBLE Floor Socket in The Market.”



**E224F-ABE**  
Pop-up with wall box  
(Inclusive of wall box)  
Aluminum shine



**E224F-BAS**  
Pop-up with wall box  
(Inclusive of wall box)  
Brass




**F1426UAM**  
13A 250V 3pin International Socket Outlet With Shutter




## Wiring Diagram


### One Way Circuit




### Two Way Circuit




### 400W Dimmer with Rotary Switch




### 250W Fan Speed Controller with Switch




### Pilot Lamp Always On




### Pilot Lamp as On Indicator



### Pilot Lamp as Power Indicator



### Intermediate Switch



# Technical data is subject to change without further notice